

For

OTAL

5







# EGK KART



The new OTL EGK is perfect for family fun centers and multi-activity centers. This kart accommodates teenagers and adults 58" or taller. The best part is that it's priced to be our most affordable option.



### **STANDARD FEATURES**

- Adjustable Seat Assembly
- 3-Point Safety Harness

It still offers excellent performance with a 40 mph top speed and very low maintenance. All of the safety options are included such as the roll bar, seat belt, steel tube feet protection, emergency stop button, reverse function

and the ability to wirelessly control the speed of the karts.

- Steel Feet Protection Tubing
- 30mm Solid Rear Drive Axle
- Removable Padded Roll Bar
- Adjustable Front End Geometry
- Rear Wheel Drive

- Wirelessly control speed of the karts (4 speed settings + Stop function)
- Easily Accessible Forward / Reverse Switch
- Rear Mechanical Braking System with Built in Redundancies
- Low Maintenance 48V 4 kW 3 phase AC Motor
- Premium Dashboard with Emergency Stop Button
- Heavy duty polyethylene high-density (PEHD) bumper system
- Fully encased rear body covering motor, wheels, batteries etc.

### CONFIGURATION

	INDOOR / OUTDOOR	INDOOR	Indoor Setup	
		OUTDOOR	Specially equipped with weatherproofing for rain	
	TRANSMISSION	CHAIN	Most common setup - reliable and affordable	Custom Body Decal with
		BELT	Premium feature - Quiet with less maintenance	
	BATTERY TYPE	LEAD	Standard reliable setup - Two 12v batteries	
		LITHIUM	New option, high premium, high capacity	

OPTIONS



Logo



## BENEFITS OF ELECTRIC

- No fumes and emissions
- Instant torque and faster acceleration
- No need to store and dispense fuel
- Lower operating costs
- No building ventilation needed
- Safer for customers

IF.	ELE	LIK	IL	

## **DIMENSIONS AND WEIGHT**

• Less noise • Easier maintenance	LENGTH	79.75" (202.6 cm)	WEIGHT WITHOUT BATTERIES
Environmentally friendly	WIDTH	55.75" (141.6 cm)	311 LB. (141 KG)
<ul> <li>Dramatically less vibration</li> <li>More efficient motor</li> </ul>	HEIGHT	41.2" (104.7 cm)	<u>511 LD.</u> (141 KU)





